


IPON®-Cable Gland

with Pg connection thread to DIN 40430

1234P1302

EAN Code: 4011126177008
Smallest packaging unit:50 pcs.

the photorealistic images are to be considered as reference images



Article Description

IPON®-cable gland, Pg 13,5, for cable-Ø 6-12 mm, plastics PA, RAL 7001, silver grey

Additional Price Information

Article group	K104
quantity unit	pcs.

Weight

Weight per quantity unit	12 g / pcs.
Weight in kg per 100	1,2 kg / 100pcs.

Technical Datasheet

Cable glands

1234P1302

the photorealistic images are to be considered as reference images

Physical Article Dimensions

Height	27.00 mm
Width	27.00 mm
Depth/length	43.00 mm
Diameter	27.00 mm

Packing Dimension

1 piece = 1 piece		✓ VP1-smallest packaging unit (PU)			
Lenght	43.00 mm	Width	27.00 mm	Height	27.00 mm
Gross weight	0,01 kg	Volume	0,000 m ³		
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.		
50 pieces = 1		✓ VP2-preferred PU			
Height	71.00 mm	Width	138.00 mm	Lenght	192.00 mm
Gross weight	0,69 kg	Volume	0,002 m ³		
Min. Quantity	50.00 pcs.	Max. Quantity	50.00 pcs.		
500 covering boxes = 1 piece					
Lenght	370 mm	Width	282 mm	Height	196.00 mm
Gross weight	7,16 kg	Volume	0,020 m ³		
Min. Quantity	500.00 pcs.	Max. Quantity	500.00 pcs.		

Tender Text

<p>IPON cable gland, with Pg connection thread to DIN 40430. Nominal size : Pg 13.5 for cable-Ø : 6 - 12 mm Connection thread length : 9 mm Width across flats : 24 mm Glow wire test acc. to VDE 0471/DIN IEC 695 Part 2-1: 650°C Protection class : IP68, 5 bar Flame resistance : UL 94 V-0 Operating temperature : -20° to 100°C Material gland body : Polyamide Material sealing ring : CR/NBR Colour : silver grey RAL: 7001 (similar) Kleinhuis Model-No. : 1234P1302 EP Material_____ EP Wage_____</p>
Unit price/piece

Safety & Environment

REACH Date	05.11.2025
REACH Info	Conformable
RoHS Info	Conformable

Technical Datasheet

Cable glands

1234P1302

the photorealistic images are to be considered as reference images

Origin & International Trade

Country of origin	DE
Customs tariff number	39269097