

IPON®-Cable Gland, full metric


tested acc. to DIN EN 62444, with metric connection thread acc. to DIN EN 60423,
with integrated strain relief

1234VM5003

EAN Code: 4011126387797

Smallest packaging unit:5 pcs.

the photorealistic images are to be considered as reference
images



Article Description

IPON®-cable gland, full metric, M50, for cable-Ø 27-35 mm, plastics PA, RAL 9005, dark black

Additional Price Information

Article group	K104
quantity unit	pcs.

Weight

Weight per quantity unit	66 g / pcs.
Weight in kg per 100	6,52 kg / 100pcs.

Technical Datasheet

Cable glands

1234VM5003

the photorealistic images are to be considered as reference images

Physical Article Dimensions

Height	61.00 mm
Width	61.00 mm
Depth/length	60.50 mm
Diameter	61.00 mm

Packing Dimension

1 piece = 1 piece		✓ VP1-smallest packaging unit (PU)			
Lenght	61.00 mm	Width	61.00 mm	Height	61.00 mm
Gross weight	0,07 kg	Volume	0,000 m³		
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.		

5 pieces = 1		✓ VP2-preferred PU			
Height	71.00 mm	Width	138.00 mm	Lenght	154.00 mm
Gross weight	0,39 kg	Volume	0,002 m³		
Min. Quantity	5.00 pcs.	Max. Quantity	5.00 pcs.		

50 covering boxes = 1 piece					
Lenght	370 mm	Width	282 mm	Height	158.00 mm
Gross weight	4,11 kg	Volume	0,016 m³		
Min. Quantity	50.00 pcs.	Max. Quantity	50.00 pcs.		

Tender Text

IPON cable gland tested to DIN EN 62444, fully metric, with metric connection thread to DIN EN 60423, with integrated strain relief and an additional connection thread sealing ring, halogen-free.

VDE certified!

Nominal size : M 50

for cable-Ø : 27 - 35 mm

Connection thread length : 13.4 mm

Width across flats : 55 mm

Glow wire test acc. to VDE 0471/DIN IEC 695 Part 2-1: 650°C

Protection class : IP68, 5 bar

Flame resistance : UL 94 V-O

Operating temperature : -20° up to 100°C

Material gland body : Polyamide

Material sealing ring : TPE (Thermoplastic Elastomers)

Additional thread sealing ring material : NBR

Colour : deep black

RAL : 9005 (similar)

Kleinhuis model no. : 1234VM5003

EP Material_____ EP Wage_____

Unit price/piece

Safety & Environment

REACH Date	25.06.2025
REACH Info	Conformable
RoHS Info	Conformable

Technical Datasheet

Cable glands

1234VM5003

the photorealistic images are to be considered as reference images

Origin & International Trade	
Country of origin	DE
Customs tariff number	39269097