

### Distribution Tray

perforated




### RSV 110.300 S

EAN Code: 4013339259304

Smallest packaging unit: 2 x 3 m

quantity unit: m M

the photorealistic images are to be considered as reference images



### Article Description

Distribution tray, 110x300x3000 mm, perforated, ???

# Technical Datasheet

## Cable Tray System

RSV 110.300 S

the photorealistic images are to be considered as reference images

### Incl. accessories

3 meter = 1 piece		- lowest delivery unit	- preferred delivery unit
Model No.	Description	quantity	
1-FLM 6X12	Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, electro galvanised according to DIN EN ISO 2081/4042, blue pass	12 pcs.	
1-RV 110.300	Splice plate, single, U-shaped, 99x297 mm, steel, pre-galvanised according to DIN EN 10346, incl. accessories	1 pcs.	
6 meter = 1 bundle		✓ lowest delivery unit	✓ preferred delivery unit
Model No.	Description	quantity	
FLM 6X12	Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, electro galvanised according to DIN EN ISO 2081/4042, blue pass	24 pcs.	
RV 110.300	Splice plate, single, U-shaped, 99x297 mm, steel, pre-galvanised according to DIN EN 10346, incl. accessories	2 pcs.	
132 meter = 1 rack		- lowest delivery unit	- preferred delivery unit
Model No.	Description	quantity	
FLM 6X12	Mushroom-head bolt M6, similar DIN 603, length 12 mm, steel, electro galvanised according to DIN EN ISO 2081/4042, blue pass	528 pcs.	
RV 110.300	Splice plate, single, U-shaped, 99x297 mm, steel, pre-galvanised according to DIN EN 10346, incl. accessories	44 pcs.	

### Additional Price Information

Article group	N13
quantity unit	m

### Weight

Weight per quantity unit	5,374 kg / m
Weight in kg per 100	537 kg / 100m

### Physical Article Dimensions

Height	110.00 mm
Width	300 mm
Depth/length	3000 mm

### Packing Dimension

6 meters = 1 bundle		✓ VP1-smallest packaging unit ( PU)	✓ VP1-preferred PU
Lenght	3000 mm	Width	305 mm
		Height	115.00 mm
Gross weight	32 kg	Volume	0,105 m <sup>3</sup>
Min. quantity	6.00 m	Max. Quantity	6.00 m
132 meters = 1 rack			
Lenght	3000 mm	Width	1162 mm
		Height	1120 mm
Gross weight	807 kg	Volume	3,904 m <sup>3</sup>
Min. Quantity	132.00 m	Max. Quantity	132.00 m

# Technical Datasheet

## Cable Tray System

### RSV 110.300 S

the photorealistic images are to be considered as reference images

#### Tender Text

Distribution cable tray acc. to DIN EN 61537, with offset bottom and side perforations for continuous mounting of the system components, side and bottom outlets are provided for cable and line feed-through, including one-piece U-shaped splice plate RV 110... and proportionate fastening accessories.

Dimensions (approx. dimensions) H x W : 110 x 300 mm

Material thickness : 1.5 mm

Bottom and side outlets : 40 x 150 mm

Delivery length : 3000 mm

Usable cross section : 33000 mm<sup>2</sup>

Material : steel, pre-galvanised to DIN EN 10346

NIEDAX Model No. : RSV 110.300 S

EP Material \_\_\_\_\_ EP Wage \_\_\_\_\_

Unit price/meter

#### Safety & Environment

REACH Date	04.02.2026
REACH Info	Conformable
RoHS Info	Conformable

#### Origin & International Trade

Country of origin	DE
Customs tariff number	73089059

#### Related items

##### Cover

Model No.	Description
RD 300	Cover for cable tray/-ladder, with joint strip, 302x3000 mm, steel, pre-galvanised according to DIN EN 10346
RDHF 9 E2	Cover clamp, stainless steel, material code: 1.4310
RDHK 110 E2	Cover retaining clamp, height 108 mm, stainless steel, material code: 1.4310
RDRS 9	Turning bolt with locking nut acc. to DIN EN ISO 10511, steel, pre-galvanised according to DIN EN 10346, incl. accessories
RDV 300	Cover for cable tray/-ladder, with joint strip, 302x3000 mm, steel, pre-galvanised according to DIN EN 10346

##### Barrier strip

Model No.	Description
RW 110	Barrier strip, 98x3000 mm, t=0,9 mm, steel, pre-galvanised according to DIN EN 10346, incl. accessories